A
40

	Application No.	Applicant(s)		
A	10/726,050	SESHAN, KRISHNA		
Notice of Allowability	Examiner	Art Unit		
	Dao H. Nguyen	2818		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to <u>02/07/2005</u> .				
2. The allowed claim(s) is/are <u>1-15 and 28-29</u> .				
3. The drawings filed on <u>12/02/2003</u> are accepted by the Examiner.				
4.				
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat 98), 7. ☒ Examiner's Amendr	ie		

Application/Control Number: 10/726,050 Page 2

Art Unit: 2818

## **DETAILED ACTION**

1. In response to the communications dated 02/07/2005, claims 1-15 and 28-29 are active in this application.

Claim(s) 16-27 have been cancelled.

## Remarks

2. Applicant's argument(s), filed 02/07/2005, with respect claim(s) 1-15 and 28-29, have been fully considered and are persuasive. Therefore, the rejection of the last Office Action, in view of the argument(s), has been withdrawn; Furthermore, the pending claim(s) are found in condition for allowance.

## **Examiner's Amendment**

- 3. An examiner's amendment to the record appears below. Should the changes and /or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.3.12. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 4. The following amendment has been made to the specification to correct minor typographical error:

Art Unit: 2818

In the specification, page 10, line 9, the reference term "terminal **322**" has been changed to – terminal **332** -- for a consistency with prior definition.

## Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dao Nguyen whose telephone number is (571)272-1791. The examiner can normally be reached on Monday-Friday 9:00am – 6:00pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms can be reached on (571)272-1787. The fax numbers for all communication(s) is 703-872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571)272-1625.

David Nelms Supervisory Patent Examiner

Technology Center 2800

Dao H. Nguyen Art Unit 2818 April 7, 2005